



Reply to: Effect of prone positioning without mechanical ventilation in COVID-19 patients with acute respiratory failure

Orlando R. Pérez-Nieto ¹, Eder I. Zamarron-Lopez ², Josué L. Medina Estrada, Jesús Salvador Sánchez-Diaz ⁴, Manuel A. Guerrero-Gutiérrez ⁵, Diego Escarraman-Martinez ⁶ and Raúl Soriano-Orozco ⁷

¹Intensive Care Unit, Hospital General San Juan del Río, Querétaro, Mexico. ²Intensive Care Unit, Hospital IMSS Hospital General Regional No. 6 IMSS, Ciudad Madero, Mexico. ³Intensive Care Unit, Hospital Regional No. 1 IMSS "Vicente Guerrero", Acapulco, Mexico. ⁴Intensive Care Unit, Hospital de Alta Especialidad IMSS "Adolfo Ruíz Cortines", Veracruz, Mexico. ⁵Department of Anesthesiology and Bariatric Surgery, Baja Hospital & Medical Center, Tijuana, Mexico. ⁶Intensive Care Unit, Centro Médico Nacional "La Raza", IMSS, Ciudad de México, Mexico. ⁷Intensive Care Unit, Unidad Médica de Alta Especialidad del Bajío IMSS T1 León, Guanajuato, Mexico.

Corresponding author: Orlando R. Pérez-Nieto (orlando_rpn@hotmail.com)



Shareable abstract (@ERSpublications)
Several questions on the efficacy of awake prone positioning for hypoxaemic respiratory failure remain unanswered. Research targeting those questions is needed. https://bit.ly/3xmbNPP

Cite this article as: Pérez-Nieto OR, Zamarron-Lopez EI, Medina Estrada JL, et al. Reply to: Effect of prone positioning without mechanical ventilation in COVID-19 patients with acute respiratory failure. Eur Respir J 2022; 60: 2201671 [DOI: 10.1183/13993003.01671-2022].

This single-page version can be shared freely online.

Copyright ©The authors 2022.

This version is distributed under the terms of the Creative Commons Attribution Non-Commercial Licence 4.0. For commercial reproduction rights and permissions contact permissions@ersnet.org

Received: 26 Aug 2022 Accepted: 31 Aug 2022 Reply to Yanfei Shen and co-workers:

We have read the letter by Yanfei Shen and co-workers, and appreciate their interest in our study of awake prone positioning (APP) in non-intubated patients with acute hypoxaemic respiratory failure (AHRF) due to coronavirus disease 2019 (COVID-19). We would like to add a few comments to their purposeful remarks.



